

**FIRE RATING TESTS\***  
**Test Method: A.S.T.M. E84**  
**List of Products Meeting “Class A-Type I”**

		<i>Flame Spread</i>	<i>Fuel Contri- bution</i>	<i>Smoke Density</i>
	<i>Product No.'s</i>	<i>0 100</i>	<i>0 100</i>	<i>0 100</i>
	<i>Cement Board Red Oak</i>			
California® Fres-Coat Acrylic Latex Flat	53300	5	0	0
California Fres-Coat 100% Acrylic Latex Eggshell	53100	5	0	0
California Fres-Coat 100% Acrylic Latex Semi-Gloss	56300	5	5	0
California Pacific® Acrylic Latex Flat	56000	5	5	0
California Pacific Acrylic Latex Eggshell	56100	5	0	0
California Pacific Acrylic Latex Semi-Gloss	55900	5	0	0
California Fres-Coat Alkyd Eggshell En. Int. (Industrial Use)	20800	5	0	0
California Fres-Coat Alkyd Semi-Gloss (Int./Ext.) (Ind. Use)	21000	5	0	0
California Prime Choice® Alkyd Primer Sealer Vapor Bar.	20200	5	5	0
California Prime Choice 100% Acrylic All Surface Acrylic Primer	50300	5	0	0
California High Perf. Ind. Rust-Stop® Acrylic Ltx. Metal Ctng.	1046	5	0	0
California High Perf. Ind. Tile-Cote® Polyamide-Epoxy	1201	5	5	0
California Fres-Coat 100% Acrylic Latex Velvet Flat	53500	5	0	5
California High Perf. Ind. Larcoloid® 100% Acrylic Ltx. En.	51100	5	0	5
California Allflor® Epoxy Acrylic Porch, Floor, & Patio En.	53013	5	0	5
California Prep-n-Size® Wallcovering Prep.	52400	5	0	15
California Prep-n-Size II Wallcovering Prep.	52401	5	5	0
California Prime Choice Universal Primer	50600	0	+	0
California High Perf. Ind. Mason-Cote® 100% Acrylic Latex. Block Filler	3751	0	+	0

\*Copies of Original Tests Available Upon Request.  
 Tests performed by Southwest Research Institute  
 Department of Fire Technology, 6220 Culebra Road,  
 San Antonio, Texas USA 78228-0510

+Fuel Contribution no longer reported per E84-91a

California Products Corporation  
 Ronald B. Child, V.P.  
 Compliance & Regulatory Affairs  
 150 Dascomb Road  
 Andover, MA 01810  
 March, 2009