

Nextech INT (SG) 220XX Series

ICP Construction

Version No: **8.13**Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Issue Date: **01/18/2017** Print Date: **02/02/2017** S.GHS.USA.EN

SECTION 1 IDENTIFICATION

Product Identifier

Product name	Nextech INT (SG) 220XX Series
Synonyms	Not Available
Other means of identification	Not Available

Recommended use of the chemical and restrictions on use

Relevant identified uses For interior or exterior wood, dry wall, primed masonry, primed plaster and primed metal surfaces

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	ICP Construction
Address	150 Dascomb Road Massachusetts Andover United States
Telephone	978-623-9980
Fax	Not Available
Website	Not Available
Email	Not Available

Emergency phone number

Asso	ciation / Organisation	Chemtel
1	Emergency telephone numbers	1-800-255-3924
Other	emergency telephone numbers	1-813-248-0585

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

Classification

Skin Sensitizer Category 1, Eye Irritation Category 2A, Carcinogenicity Category 1A, Acute Aquatic Hazard Category 3, Specific target organ toxicity repeated exposure Category 1

Label elements

GHS label elements





SIGNAL WORD

DANGER

Hazard statement(s)

H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H350	May cause cancer.
H402	Harmful to aquatic life
H372	Causes damage to organs through prolonged or repeated exposure.

Hazard(s) not otherwise specified

Not Applicable

Precautionary statement(s) Prevention

P201 Obtain special instructions before use.
--

Chemwatch: 9-283295 Version No: 8.13

Issue Date: 01/18/2017 Print Date: 02/02/2017

Page 2 of 9 Nextech INT (SG) 220XX Series

P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement(s) Response

P308+P313	IF exposed or concerned: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P302+P352	IF ON SKIN: Wash with plenty of soap and water.

Precautionary statement(s) Storage

Store locked up.

Precautionary statement(s) Disposal

P501	Dispose of contents/container in accordance with local regulations.
------	---

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
1317-65-3	10-30	<u>calcium carbonate</u>
13463-67-7	10-30	titanium dioxide
57-55-6	3-7	propylene glycol
26172-55-4	0.1-1	5-chloro-2-methyl-4-isothiazolin-3-one

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

Eye Contact	If this product comes in contact with the eyes: Immediately hold eyelids apart and flush the eye continuously with running water. Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids. Continue flushing until advised to stop by the Poisons Information Centre or a doctor, or for at least 15 minutes. Transport to hospital or doctor without delay. Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation.
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay.
Ingestion	 Immediately give a glass of water. First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- ▶ Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Fire Incompatibility	None known.	
Special protective equipment and precautions for fire-fighters		
	► Alert Fire Brigade and tell them location and nature of hazard.	
Fire Fighting	Wear breathing apparatus plus protective gloves in the event of a fire.	

Prevent, by any means available, spillage from entering drains or water courses.

Chemwatch: 9-283295 Page 3 of 9 Issue Date: 01/18/2017 Version No: 8.13 Print Date: 02/02/2017

Nextech INT (SG) 220XX Series

Fire/Explosion Hazard

- Non combustible.
- ▶ Not considered a significant fire risk, however containers may burn.

May emit poisonous fumes.

May emit corrosive fumes.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

	- 1
Minor Spills	 Clean up all spills immediately. Avoid breathing vapours and contact with skin and eyes. Control personal contact with the substance, by using protective equipment.
Major Spills	 Absorb or contain isothiazolinone liquid spills with sand, earth, inert material or vermiculite. The absorbent (and surface soil to a depth sufficient to remove all of the biocide) should be shovelled into a drum and treated with an 11% solution of sodium metabisulfite (Na2S2O5) or sodium bisulfite (NaHSO3), or 12% sodium sulfite (Na2SO3) and 8% hydrochloric acid (HCl). Glutathione has also been used to inactivate the isothiazolinones.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

i roodationo foi caro nana	a
Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs. Use in a well-ventilated area. DO NOT allow clothing wet with material to stay in contact with skin
Other information	

Conditions for safe storage	ge, including any incompatibilities
Suitable container	Polyethylene or polypropylene container. Packing as recommended by manufacturer. Check all containers are clearly labelled and free from leaks.
Storage incompatibility	Calcium carbonate: is incompatible with acids, ammonium salts, fluorine, germanium, lead diacetate, magnesium, mercurous chloride, silicon, silver nitrate, titanium. Contact with acid generates carbon dioxide gas, which may pressurise and then rupture closed containers Glycols and their ethers undergo violent decomposition in contact with 70% perchloric acid. This seems likely to involve formation of the glycol perchlorate esters (after scission of ethers) which are explosive, those of ethylene glycol and 3-chloro-1,2-propanediol being more powerful than glyceryl nitrate, and the former so sensitive that it explodes on addition of water. Titanium dioxide reacts with strong acids, strong oxidisers reacts violently with aluminium, calcium, hydrazine, lithium (at around 200 deg C.), magnesium, potassium, sodium, zinc, especially at elevated temperatures - these reactions involves reduction of the oxide and are accompanied by incandescence dust or powders can ignite and then explode in a carbon dioxide atmosphere WARNING: Avoid or control reaction with peroxides. All transition metal peroxides should be considered as potentially explosive. For example transition metal complexes of alkyl hydroperoxides may decompose explosively.

▶ Avoid strong acids, acid chlorides, acid anhydrides and chloroformates.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

INONEDIENT DATA						
Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US OSHA Permissible Exposure Levels (PELs) - Table Z1	calcium carbonate	Calcium carbonate / Calcium carbonate - Respirable fraction	15 mg/m3 / 5 mg/m3	Not Available	Not Available	Total dust
US NIOSH Recommended Exposure Limits (RELs)	calcium carbonate	Calcium carbonate, Natural calcium carbonate [Note: Calcite & aragonite are commercially important natural calcium carbonates.] / Calcium carbonate, Natural calcium carbonate [Note: Marble is a metamorphic form of calcium carbonate.]	10 (total), 5 (resp) mg/m3	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	calcium carbonate	Calcium salt of carbonic acid [Note: Occurs in nature as as limestone, chalk, marble, dolomite, aragonite, calcite and oyster shells.]	10 (total), 5 (resp) mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	titanium dioxide	Titanium dioxide	15 mg/m3	Not Available	Not Available	Total dust
US ACGIH Threshold Limit Values (TLV)	titanium dioxide	Titanium dioxide	10 mg/m3	Not Available	Not Available	TLV® Basis: LRT irr

Chemwatch: 9-283295 Page 4 of 9

Version No: 8.13

Nextech INT (SG) 220XX Series

US NIOSH Recommended titanium Not Not Ca See Rutile, Titanium oxide, Titanium peroxide Not Available Exposure Limits (RELs) dioxide Available Available Appendix A **EMERGENCY LIMITS** TEEL-1 TFFL-2 TEEL-3 Ingredient Material name calcium carbonate Limestone; (Calcium carbonate; Dolomite) 45 mg/m3 500 mg/m3 3,000 mg/m3 Carbonic acid, calcium salt 210 mg/m3 calcium carbonate 45 mg/m3 1,300 mg/m3 Titanium oxide; (Titanium dioxide) 30 mg/m3 330 mg/m3 2,000 mg/m3 titanium dioxide Propylene glycol; (1,2-Propanediol) 7,900 mg/m3 propylene glycol 30 mg/m3 1,300 mg/m3 5-chloro-2-methyl-Chloro-2-methyl-4-isothiazolin-3-one, 5-0.6 mg/m3 6.6 mg/m3 40 mg/m3 4-isothiazolin-3-one

Ingredient	Original IDLH	Revised IDLH
calcium carbonate	Not Available	Not Available
titanium dioxide	N.E. mg/m3 / N.E. ppm	5,000 mg/m3
propylene glycol	Not Available	Not Available
5-chloro-2-methyl- 4-isothiazolin-3-one	Not Available	Not Available

Exposure controls

Appropriate engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

The basic types of engineering controls are:

Process controls which involve changing the way a job activity or process is done to reduce the risk.

Personal protection









Eye and face protection

- Safety glasses with side shields.
- ▶ Chemical goggles
- ► Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants.

Skin protection

See Hand protection below

- ▶ Wear chemical protective gloves, e.g. PVC.
- ▶ Wear safety footwear or safety gumboots, e.g. Rubber

NOTE:

► The material may produce skin sensitisation in predisposed individuals. Care must be taken, when removing gloves and other protective equipment, to avoid all possible skin contact.

Hands/feet protection

► Contaminated leather items, such as shoes, belts and watch-bands should be removed and destroyed.

The selection of suitable gloves does not only depend on the material, but also on further marks of quality which vary from manufacturer to manufacturer. Where the chemical is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

The exact break through time for substances has to be obtained from the manufacturer of the protective gloves and has to be observed when making a final choice.

- ► Butyl rubber gloves
- Nitrile rubber gloves

Body protection

See Other protection below

Other protection

Overalls.P.V.C. apron.

Thermal hazards

Not Available

Respiratory protection

Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Text		
Physical state	Liquid	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	8.5	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available

Issue Date: 01/18/2017

Print Date: 02/02/2017

Chemwatch: **9-283295** Page **5** of **9**

Version No: 8.13

Nextech INT (SG) 220XX Series

Issue Date: **01/18/2017** Print Date: **02/02/2017**

Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	 Unstable in the presence of incompatible materials. Product is considered stable. Hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

heart-rate (tachycardia), excessive sweating (diaphoresis) and grand mal seizures in a 15 month child who ingested large doses (7.5 ml/day for 8 days) as ingredient of vitamin preparation. Excessive repeated ingestions may cause hypoglycaemia (low levels of glucose in the blood stream) among susceptible individuals; this may result in mus weakness, incoordination and mental confusion. The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroboral animal or human evidence. Taken by mouth, isothiazolinones have moderate to high toxicity. The major signs of toxicity are severe stomach irritation, lethargy, and inco-ordination. Dusts of titanium and titanium compounds are thought to exhibit little or no toxic effects. This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition. Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Solutions of isothiazolinones may be irritating or even damaging to the skin, depending on concentration. A concentration of over 0.1% can irritate, and over 0.5% can cause severe irritation. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the of the material and ensure that any external damage is suitably protected. If applied to the eyes, this material causes severe eye damage. Solutions containing isothiazolinones may damage the mucous membranes and comea. Animal testing showed very low concentrations (under 0.1%) did not cause irritation, while higher levels (3-5.5%) produced severe irritation and damage to the eye. Studies show that inhaling this substance for over a long period (e.g. i	Inhaled	The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage. The material has NOT been classified by EC Directives or other classification systems as "harmful by inhalation". This is because of the lack of corroborating
Ingestion Ingest		animal or human evidence.
The material may accentuate any pre-existing dermatitis condition Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Solutions of isothiazolinones may be irritating or even damaging to the skin, depending on concentration. A concentration of over 0.1% can irritate, and ove 0.5% can cause severe irritation. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the of the material and ensure that any external damage is suitably protected. If applied to the eyes, this material causes severe eye damage. Solutions containing isothiazolinones may damage the mucous membranes and comea. Animal testing showed very low concentrations (under 0.1%) did no cause irritation, while higher levels (3-5.5%) produced severe irritation and damage to the eye. Studies show that inhaling this substance for over a long period (e.g. in an occupational setting) may increase the risk of cancer. Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. The isothiazolinones are known contact sensitisers. Sensitisation is more likely with the chlorinated species as opposed to the non-chlorinated species. There has been concern that this material can cause cancer or mutations, but there is not enough data to make an assessment. Long term exposure to titanium and several of its compounds produces lung scarring and chronic bronchitis. Breathing is impaired and cardiac changes we	Ingestion	Excessive repeated ingestions may cause hypoglycaemia (low levels of glucose in the blood stream) among susceptible individuals; this may result in muscult weakness, incoordination and mental confusion. The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence. Taken by mouth, isothiazolinones have moderate to high toxicity. The major signs of toxicity are severe stomach irritation, lethargy, and inco-ordination.
Solutions containing isothiazolinones may damage the mucous membranes and comea. Animal testing showed very low concentrations (under 0.1%) did no cause irritation, while higher levels (3-5.5%) produced severe irritation and damage to the eye. Studies show that inhaling this substance for over a long period (e.g. in an occupational setting) may increase the risk of cancer. Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. The isothiazolinones are known contact sensitisers. Sensitisation is more likely with the chlorinated species as opposed to the non-chlorinated species. There has been concern that this material can cause cancer or mutations, but there is not enough data to make an assessment. Long term exposure to titanium and several of its compounds produces lung scarring and chronic bronchitis. Breathing is impaired and cardiac changes we	Skin Contact	The material may accentuate any pre-existing dermatitis condition Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Solutions of isothiazolinones may be irritating or even damaging to the skin, depending on concentration. A concentration of over 0.1% can irritate, and over 0.5% can cause severe irritation. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the us
Chronic Chronic Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. The isothiazolinones are known contact sensitisers. Sensitisation is more likely with the chlorinated species as opposed to the non-chlorinated species. There has been concern that this material can cause cancer or mutations, but there is not enough data to make an assessment. Long term exposure to titanium and several of its compounds produces lung scarring and chronic bronchitis. Breathing is impaired and cardiac changes we have the chlorinated species as opposed to the non-chlorinated species.	Еуе	Solutions containing isothiazolinones may damage the mucous membranes and cornea. Animal testing showed very low concentrations (under 0.1%) did not
	Chronic	Long-term exposure to respiratory irritants may result in disease of the airways involving difficult breathing and related systemic problems. Skin contact with the material is more likely to cause a sensitisation reaction in some persons compared to the general population. Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure. The isothiazolinones are known contact sensitisers. Sensitisation is more likely with the chlorinated species as opposed to the non-chlorinated species. There has been concern that this material can cause cancer or mutations, but there is not enough data to make an assessment. Long term exposure to titanium and several of its compounds produces lung scarring and chronic bronchitis. Breathing is impaired and cardiac changes with

Nextech INT (SG) 220XX	TOXICITY	IRRITATION
Series	Not Available	Not Available
	TOXICITY	IRRITATION
calcium carbonate	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye (rabbit): 0.75 mg/24h - SEVERE
	Oral (rat) LD50: >2000 mg/kg ^[1]	Skin (rabbit): 500 mg/24h-moderate
	TOXICITY	IRRITATION
	Inhalation (rat) LC50: >2.28 mg/l/4hr ^[1]	Skin (human): 0.3 mg /3D (int)-mild *
titanium dioxide	Inhalation (rat) LC50: >3.56 mg/l/4hr ^[1]	
	Inhalation (rat) LC50: >6.82 mg/l/4hr ^[1]	

Chemwatch: 9-283295 Page 6 of 9

Version No: 8.13

Nextech INT (SG) 220XX Series

Issue Date: 01/18/2017 Print Date: 02/02/2017

Interesting (e.g.) LOSG. 350 mg/glan ¹¹ Oral (rai) LOSG. >2000 mg/kg ¹¹ TOXICITY IRRITATION Expr (nable) 100 mg - mid Exp (nable) 500 mg/kg ¹¹ Skichumars) 100 mg - mid Skichumars) 100 mg - m		Inhalation (rat) LC50: 3.43 mg//4hr ^[1]				
TOXICITY IRRITATION Exercise (raise) LDSC > 2000 mg/kg ¹¹ Exercise (raise) (LDSC > 2000 mg/kg ¹¹ Exercis			i			
TOXICITY Demail (rabbit) LD60: >2000 mg/kg ^{1/2} Eye (rabbit): 100 mg - mild Oral (rat) LD50: 20000 mg/kg ^{1/2} Eye (rabbit): 500 mg - mild Sinthurmani-100 mg - mild For Available TOXICITY IRRITATION Not Available TOXICITY Not Available TOXICITY Not Available TOXICITY IRRITATION Not Available Not Available Toxicity Not Available Not Available Not Available Toxicity Not Available Toxicity Not Available Not Available Not Available Toxicity Not Available Toxicity Not Available Not Available Toxicity Not Available Not Available Not Available Toxicity Not Available Not Available Not Available Toxicity Not Available Not Available Toxicity Not Available Not Available Not Available Toxicity Not Available Not Available Not Available Toxicity Not Available Toxicity Not Available Not Available Toxicity Not Available Not Availabl			i			
Demail (riabbit) LD50: 2000 mg/kg ^[2] Eye (riabbit): 100 mg - mild Oral (rat) LD50: 20000 mg/kg ^[2] Eye (riabbit): 500 mg/24h - mild Sinfruman):104 mg/32d Internit Mod Internit Mod Internit Mod Internit Mod Internit Mod Internit Mod Internit Mod Internit Mod Internit Mod Expected or Expected or Example ECHA Registered Substances - Acute toxicity 2* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RIFECS - Register of Toxic Effect of chemical Substances The material may produce severe intakion to the eye causing pronounced inflammation. Repeated or prolonged exposure to inflamts may produce conjunctivities. No evidence of carcinogenic properties. No evidence of mutagenic or teratogenic effects. The material may produce modurate eye inflation leading to inflammation. Repeated or prolonged exposure to inflamts may produce conjunctivities. WARNING: The substances have been disastified by the IARC as Group 28; Possibly Carcinogenic to Humans. **ULCUID** **PROPYLENE CLYCCL** **PROPYLENE		Orai (rai) ED50. >2000 mg/kg- 7	i			
CALCIUM CARBONATE TITANIUM DIOXIDE PROPYLENE GLYCOL S-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE The caute or all toxicity of propylene glycol is very low, and large questions and makes a propylene glycol is very low, and irrespensation and insessitions or the particle. CALCIUM CARBONATE S-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE CALCIUM CARBONATE CALCIUM CARBONATE CALCIUM CARBONATE A s-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE CALCIUM CARBONATE S-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE CALCIUM CARBONATE S-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE CALCIUM CARBONATE A specification of members are considered and containing the growth of the processing of the particle. The material may produce severe initiation to the eye causing pronounced inflammation. Repeated or prolonged exposure to inflams may produce conjunctivities. No evidence of caracinogenic properties. No evidence of mutagenic or treatogenic effects. The material may produce severe initiation to the eye causing pronounced inflammation. Repeated or prolonged exposure to inflams may produce conjunctivities. No evidence of mutagenic or treatogenic effects. The material may produce rendered to evidence of mutagenic or treatogenic effects. The material may produce rendered to evidence of mutagenic or treatogenic effects. The material may produce rendered to evidence of mutagenic or treatogenic effects. The material may produce rendered to evidence of the particle. WARNING: This substance has been diaselfed by the IARC as Groyz 2B-Possibly Cardinogenic to Humans. Titalium Dioxide and mutagenic or properties glycol is very low, and large quentities are experied to exace perceptible health damage in humans. Selecus toxicity generally occurs only a plansar occurrent and over 1 g. 4, which requires extendingly high printed or fine. It would be nearly impossible to reach toxic levels by consuming floods or supplements, which contain at most 1 glys of PG. The cause of mutagenic or properties and properties of the selection of the selection of the selection of th		TOXICITY	IRRITATION			
Sin(human):164 mg/3d Intermit Mod Sin(human):500 mg/7days mild TOXICITY IRRITATION Not Available 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2 * Value obtained from manufacturer's SOS. Unless otherwise specified data extracted from REECS - Registered Substances - Acute toxicity 2 * Value obtained from manufacturer's SOS. Unless otherwise specified data extracted from REECS - Register of Toxic Effect of chemical Substances 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2 * Value obtained from manufacturer's SOS. Unless otherwise specified data extracted from REECS - Register of Toxic Effect of chemical Substances The material may produce severe inflation to the eye causing pronounced inflammation. Repeated or prolonged exposure to inflants may produce conjunctivitis. No evidence of caractingenic properties. No evidence of mutagenic or teratogenic effects. No evidence of caractingenic properties. No evidence of mutagenic or teratogenic effects. No evidence of caractingenic properties. No evidence of mutagenic or teratogenic effects. No evidence of caractingenic properties. No evidence of mutagenic or teratogenic effects. WARNING: This substance has been classified by the IARC as Group 28: Possibly Caractinogenic to Humans. ***UCLID** PROPYLENE GLYCOL. PROPYLENE GLYCOL. Section of the Control of booking of propylene glycol is very low, and isone quantities are equated to cause persoptible health durage in humans. Sortious toxicity generally occurs only at plasma concentrations over 1 fg. which requires externed to cause persoptible health durage in humans. Sortious toxicity generally cours only at plasma concentrations over 1 fg. which requires externed by high institute over a relatively about period of time. It would be nearly impossible to reach toxic levels by consuming toxics or supplements, which contain at most 1 g/g of PC. **CHLORO-2-METHYL-4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		Dermal (rabbit) LD50: >2000 mg/kg ^[1]	Eye (rabbit): 10	00 mg - mild		
Schloro-2-methyl- 4-isothiazolin-3-one Legend: 1. Value chained from Europe ECHA Registered Substances - Acute toxicity 2 - Value chained from manufacturer's SDS. Unless otherwise specified data extracted from FTECS - Register of Toxic Effect of chanical Substances CALCIUM CARBONATE The material may produce severe imitation to the eye causing pronounced inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. No evidence of carcinogenic properties. No evidence of mutagenic or teratogenic effects. The material may produce newtrenew eye imitation leading to inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. Properties of the lung and immane system. Absorption by the stomach and intestines depends on the size of the particle. PROPYLENE GLYCOL PROPYLENE GLYCOL The acute or all toxicity of propylene glycol is very low, and large quantities are required to cause perceptible health damage in humans. Serious toxicity greenedly occurs only at plasma concentrations over 1 gL, which requires externelly high intake over a relatively short period of time. It would be nearly impossible to reach toxic levels by consuming foods or supplements, which contain at most 1 gly of PC. Solidinary of the particles of the properties of the particles operated to the particles of the prolongeness of contact eczena involves as a CHALDINA of the particles of the properties of the particles of the particles of the properties of the particles of the particles of the particles of the particl	propylene glycol	Oral (rat) LD50: 20000 mg/kg ^[2]	Eye (rabbit): 50	00 mg/24h - mild		
S-chloro-2-mettyl; 4-isothiazolin-3-one I. Value obtained from Europe ECHA Registered Substances -Acute toxicity 2. Value obtained from manufacturer's SDS. Unless otherwise specified data extended from RECS - Register of Toxic Effect of chemical Substances The material may produce severe irritation to the eye causing pronounced iriliammation. Repeated or prolonged exposure to iritants may produce conjunctivities. No evidence of carcinogenic properties. No evidence of unsagenic or teratogenic effects. The material may produce moderate eye irritation leading to infammation. Repeated or prolonged exposure to iritants may produce conjunctivities. No evidence of integration of the size of the parallel properties. No evidence of integration of the final manufacturery of the size of the parallel properties. No evidence of integration of the final manufacturery of the size of the parallel properties. No evidence of integration of the final manufacturery of the size of the parallel properties. No evidence of integration of the size of the parallel properties. No evidence of integration of the size of the parallel properties. No evidence of integration of the size of the parallel properties. No evidence of integration of infammation. Repeated or prolonged exposure to infamts may produce conjunctivities. No evidence of integration of the size of the parallel properties. Warning and immune system. Absorption to infammation. Repeated or prolonged exposure to infamts may produce on a content of the size of the parallel properties of the size of the parallel properties. Warning and integration of the size of the parallel properties of the size of the parallel properties of the size of the parallel properties. Warning and integration of the size of the parallel properties of the size of the parallel properties. Warning and the size of the parallel properties of the parallel properties of the size of the parallel properties of the size of the parallel properties of the size of			Skin(human):10	04 mg/3d Intermit Mod		
## Asothiazolina-one Not Available			Skin(human):50	00 mg/7days mild		
Legend: Legend: 1. Value obtained from Europe ECHA Registered Substances - Acute toxicity 2.* Value obtained from manufacturer's SDS. Unless otherwise specified data extracted from RTECS - Register of Toxic Effect of chemical Substances CALCIUM CARBONATE TITANIUM DIOXIDE The material may produce severe initiation to the eye causing pronounced inflammation. Repeated or prolonged exposure to initiatis may produce conjunctivitis. The material may produce mosterate eye initiation leading to inflammation. Repeated or prolonged exposure to initiatis may produce conjunctivitis. The material may produce mosterate eye initiation leading to inflammation. Repeated or prolonged exposure to initiatis may produce conjunctivitis. The material may produce mosterate eye initiation leading to inflammation. Repeated or prolonged exposure to initiatis may produce conjunctivitis. WARNING: This substance has been classified by the IARC as Group 28: Possibly Carcinogenic to Humans. **LICLID** **WARNING: This substance has been classified by the IARC as Group 28: Possibly Carcinogenic to Humans. **LICLID** **PROPYLENE GLYCOL** The acute oral toxicity of propylene glycol is very low, and large quantities are required to cause perceptible health demage in humans. Serious toxicity generally occurs only as plasma concentrations over 1 gl., which requires extremely high initiate over a relatively short period of time. It would be nearly membrane themselves as a contact exceram, more rarely as uniteriate or Councides oederma. The pathogenesis of contact exceram involves a Cell-modified (T) hymphocytes) immune reaction of the delayed type. **CALCIUM CARBONATE & Schiller Councider of the temperature of the delayed type. **CALCIUM CARBONATE & Schiller Councider of the temperature of the delayed type. **CALCIUM CARBONATE & Schiller Councider of the delayed type. **ACHICIDA CARBONATE & Schiller Councider of the temperature of the delayed type. **ACHICIDA CARBONATE & Schiller Councider of the delayed type. **ACHICIDA CARBONATE	5-chloro-2-methyl-	TOXICITY	IRRITATION			
CALCIUM CARBONATE TITANIUM DIOXIDE TITANIUM DI	-	Not Available	Not Available			
CALCIUM CARBONATE **TITANIUM DIOXIDE** **TOTO-3-METHYL-4-1SOTHIAZOLIN-3-ONE** **TITANIUM DIOXIDE** **TITANIUM DIOXIDE** **TITANIUM DIOXIDE** **TITANIUM DIOXIDE** **TOTO-3-METHYL-4-1SOTHIAZOLIN-3-ONE** **TITANIUM DIOXIDE** **TOTO-3-METHYL-4-1SOTHIAZOLIN-3-ONE** **TOTO-3-METHYL-4-1SOTHIAZOLIN-3-ONE** **TOTO-3-METHYL-4-1SOTHIAZOLIN-3-ONE** **TOTO-3-METHYL-4-1SOTHIAZOLIN-3-ONE** **TOTO-3-METHYL-4-1SOTHIAZOLIN-3-ONE** **TOTO-3-METHYL-4-1SOTHIAZOLIN-3-ONE** **TOTO-3-METHYL-4-1SOTHIAZOLIN-3-ONE** **TOTO-3-METHYL-4-1SOTHIAZOLIN-3-ONE** **TOTO-3-METHYL-4-1SOTHIAZOLIN-3-ONE** **TOTO-3-METHYL-4-1SOTHIA	Legend:			from manufacturer's SDS. Unless otherwise specified data		
Exposure to titanium dioxide is via inhalation, swallowing or skin contact. When inhaled, it may deposit in lung tissue and lymph nodes causing dysfunction of the lungs and immune system. Absorption by the stormach and intestines depends on the size of the particle. WARNING: This substance has been classified by the IARC as Group 2B: Possibly Carcinogenic to Humans. **IUCLID** The acute roal toxicity of propylene glycol is very low, and large quantities are required to cause perceptible health damage in humans. Serious toxicity generally occurs only at plasms concentrations over 1 glu_which requires extremely high intake over a relatively short period of time. It would be nearly impossible to reach toxic levels by consuming foods or supplements, which contain at most 1 gkg of PG. The following information refers to contact allergens as a group and may not be specific to this product. Contact allergens quickly manifest themselves as contact excessing, more rarely as urticaria or Quincke's oedema. The pathogenesis of contact excessing information refers to contact allergens more rarely as urticaria or Quincke's oedema. The pathogenesis of contact excessing involves a cell-mediated (T lymphocytes) immune reaction of the delayed type. No significant acute toxicological data identified in literature search. The malerial may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to initiants may produce conjunctivitis. NOTE: Substance has been shown to be mutagenic in at least one assay, or belongs to a family of chemicals producing damage or charge to cellular DNA. CONSIDERATION OF the malerial may cause shin irritation for months or even years after exposure to the material cases. This may be due to a non-allergenic condition known as reactive airways dystunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-at	CALCIUM CARBONATE	conjunctivitis.		d or prolonged exposure to irritants may produce		
PROPYLENE GLYCOL generally occurs only at plasma concentrations over 1 g/L, which requires extremely high intake over a relatively short period of time. It would be nearly impossible to reach toxic levels by consuming foods or supplements, which contain at most 1 g/kg of PG. The following information refers to contact allergens as a group and may be specific to this product. Contact allergies quickly manifest themselves as contact eczema, more rarely as urticaria or Quincke's cedema. The pathogenesis of contact eczema involves a cell-mediated (T ymphocytes) immune reaction of the delayed type. No significant acute toxicological data identified in literature search. The material may be irritating to the eye, with prolonged contact causing inflammation. Repeated or prolonged exposure to irritants may produce conjunctivitis. NOTE: Substance has been shown to be mutagenic in at least one assay, or belongs to a family of chemicals producing damage or change to cellular DNA. Considered to be the major sensitiser in Kathon CG (1) (1). Bruze etal - Contact Dematitis 20: 219-39, 1889 CALCIUM CARBONATE & 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE Ashma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. CALCIUM CARBONATE & The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Acute Toxicity Skin Irritation/Corrosion Respiratory or Skin sensitisation STOT - Repeated Exposure	TITANIUM DIOXIDE	Exposure to titanium dioxide is via inhalation, swallowing or skin cont the lungs and immune system. Absorption by the stomach and intest WARNING: This substance has been classified by the IARC as Gr	Exposure to titanium dioxide is via inhalation, swallowing or skin contact. When inhaled, it may deposit in lung tissue and lymph nodes causing dysfunction of the lungs and immune system. Absorption by the stomach and intestines depends on the size of the particle. WARNING: This substance has been classified by the IARC as Group 2B: Possibly Carcinogenic to Humans.			
5-CHLORO-2-METHYL- 4-ISOTHIAZOLIN-3-ONE CALCIUM CARBONATE & 7-CHLORO-2-METHYL- 4-ISOTHIAZOLIN	PROPYLENE GLYCOL	generally occurs only at plasma concentrations over 1 g/L, which rec	quires extremely high intake o	ver a relatively short period of time. It would be nearly		
F-CHLORO-2-METHYL- 4-ISOTHIAZOLIN-3-ONE CALCIUM CARBONATE & TITANIUM DIOXIDE & PROPYLENE GLYCOL & 5-CHLORO-2-METHYL- 4-ISOTHIAZOLIN-3-ONE The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Caute Toxicity Serious Eye Damage/Irritation Respiratory or Skin sensitisation Teactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound. Key criteria for the diagnosis of RADS include the absence of preceding respiratory disease, in a non-atopic individual, with abrupt onset of persistent asthma-like symptoms within minutes to hours of a documented exposure to the irritant. The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Carcinogenicity Serious Eye Damage/Irritation Respiratory or Skin sensitisation The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Carcinogenicity STOT - Single Exposure		Contact allergies quickly manifest themselves as contact eczema, ma cell-mediated (T lymphocytes) immune reaction of the delayed type No significant acute toxicological data identified in literature search The material may be irritating to the eye, with prolonged contact cau NOTE: Substance has been shown to be mutagenic in at least one a	nore rarely as urticaria or Quir e. using inflammation. Repeated assay, or belongs to a family o	ncke's oedema. The pathogenesis of contact eczema involves or prolonged exposure to irritants may produce conjunctivitis. of chemicals producing damage or change to cellular DNA.		
TITANIUM DIOXIDE & PROPYLENE GLYCOL & 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin. Carcinogenicity Skin Irritation/Corrosion Serious Eye Damage/Irritation Respiratory or Skin sensitisation Respiratory or Skin sensitisation The material may cause skin irritation after prolonged or repeated exposure and may produce on contact skin redness, swelling, the production of vesicles, scaling and thickening of the skin.	5-CHLORO-2-METHYL-	reactive airways dysfunction syndrome (RADS) which can occur fol of RADS include the absence of preceding respiratory disease, in a	lowing exposure to high level	s of highly irritating compound. Key criteria for the diagnosis		
Skin Irritation/Corrosion Serious Eye Damage/Irritation Respiratory or Skin sensitisation Respiratory or Skin sensitisation	TITANIUM DIOXIDE & PROPYLENE GLYCOL & 5-CHLORO-2-METHYL-					
Skin Irritation/Corrosion Serious Eye Damage/Irritation Respiratory or Skin sensitisation Respiratory or Skin sensitisation	Acute Toxicity	0	Carcinogenicity	~		
Damage/Irritation Respiratory or Skin sensitisation STOT - Single Exposure STOT - Repeated Exposure	Skin Irritation/Corrosion		Reproductivity	0		
Respiratory or Skin sensitisation STOT - Repeated Exposure	-	~	STOT - Single Exposure	0		
Mutagenicity Aspiration Hazard	Respiratory or Skin	✓ ST	OT - Repeated Exposure	~		
	Mutagenicity	0	Aspiration Hazard	0		

✓ – Data available to make classification

O – Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

Ingredient	Endpoint	Test Duration (hr)	Species	Value	Source
calcium carbonate	LC50	96	Fish	>56000mg/L	4
calcium carbonate	EC50	72	Algae or other aquatic plants	>14mg/L	2
calcium carbonate	NOEC	72	Algae or other aquatic plants	14mg/L	2
titanium dioxide	LC50	96	Fish	9.214mg/L	3
titanium dioxide	EC50	48	Crustacea	>10mg/L	2
titanium dioxide	EC50	72	Algae or other aquatic plants	5.83mg/L	4
titanium dioxide	EC20	72	Algae or other aquatic plants	1.81mg/L	4
titanium dioxide	NOEC	336	Fish	0.089mg/L	4

Chemwatch: 9-283295 Page 7 of 9 Issue Date: 01/18/2017 Version No: 8.13 Print Date: 02/02/2017

Nextech INT (SG) 220XX Series

				4	1
propylene glycol	LC50	96	Fish	710mg/L	4
propylene glycol	EC50	48	Crustacea	>1000mg/L	4
propylene glycol	EC50	96	Algae or other aquatic plants	10905.921mg/L	3
propylene glycol	EC50	384	Crustacea	311.145mg/L	3
propylene glycol	NOEC	168	Fish	98mg/L	4
5-chloro-2-methyl- 4-isothiazolin-3-one	LC50	96	Fish	0.19mg/L	4
5-chloro-2-methyl- 4-isothiazolin-3-one	EC50	48	Crustacea	0.028mg/L	4
5-chloro-2-methyl- 4-isothiazolin-3-one	EC50	72	Algae or other aquatic plants	0.021mg/L	4
5-chloro-2-methyl- 4-isothiazolin-3-one	EC50	120	Algae or other aquatic plants	0.022mg/L	4
5-chloro-2-methyl- 4-isothiazolin-3-one	NOEC	504	Crustacea	0.172mg/L	1
Legend:	Aquatic Toxicity Data	,	tegistered Substances - Ecotoxicological Info pase - Aquatic Toxicity Data 5. ECETOC Aqua Data 8. Vendor Data	, ,	

Harmful to aquatic organisms.

Propylene glycol is known to exert high levels of biochemical oxygen demand (BOD) during degradation in surface waters. This process can adversely affect aquatic life by consuming oxygen needed by aquatic organisms for survival. Large quantities of dissolved oxygen (DO) in the water column are consumed when microbial populations decompose propylene glycol. Environmental Fate: Isothiazolinones are antimicrobials used to control bacteria, fungi, and for wood preservation and antifouling agents. They are frequently used in personal care products such as shampoos and other hair care products, as well as certain paint formulations. The most common isothiazolinone combinations are 5-chloro-2-methyl-4-isothiazolin-3-one, (CMI), and 2-methyl-4-isothiazolin-3-one, (CMI), and (CMI), and (CMI), 4-isothiazolin-3-one, (MI).

DO NOT discharge into sewer or waterways

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
titanium dioxide	HIGH	HIGH
propylene glycol	LOW	LOW
5-chloro-2-methyl- 4-isothiazolin-3-one	HIGH	HIGH

Bioaccumulative potential

Ingredient	Bioaccumulation
titanium dioxide	LOW (BCF = 10)
propylene glycol	LOW (BCF = 1)
5-chloro-2-methyl- 4-isothiazolin-3-one	LOW (LogKOW = 0.0444)

Mobility in soil

Ingredient	Mobility
titanium dioxide	LOW (KOC = 23.74)
propylene glycol	HIGH (KOC = 1)
5-chloro-2-methyl- 4-isothiazolin-3-one	LOW (KOC = 45.15)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging

- Containers may still present a chemical hazard/ danger when empty.
- ▶ Return to supplier for reuse/ recycling if possible.

Otherwise:

▶ If container can not be cleaned sufficiently well to ensure that residuals do not remain or if the container cannot be used to store the same product, then puncture containers, to prevent re-use, and bury at an authorised landfill.

Legislation addressing waste disposal requirements may differ by country, state and/ or territory. Each user must refer to laws operating in their area. In some areas, certain wastes must be tracked.

- ▶ DO NOT allow wash water from cleaning or process equipment to enter drains.
 - It may be necessary to collect all wash water for treatment before disposal.
 - In all cases disposal to sewer may be subject to local laws and regulations and these should be considered first.
 - Recycle wherever possible.
 - Consult manufacturer for recycling options or consult local or regional waste management authority for disposal if no suitable treatment or disposal facility can be identified.
 - Dispose of by: burial in a land-fill specifically licenced to accept chemical and / or pharmaceutical wastes or incineration in a licenced apparatus (after admixture with suitable combustible material).

SECTION 14 TRANSPORT INFORMATION

disposal

Labels Required

Nextech INT (SG) 220XX Series

Issue Date: 01/18/2017 Print Date: 02/02/2017

Marine Pollutant

NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

Version No: 8.13

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

CALCIUM CARBONATE(1317-65-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS US - Alaska Limits for Air Contaminants

US - California Permissible Exposure Limits for Chemical Contaminants
US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs) US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

TITANIUM DIOXIDE(13463-67-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC Monographs

US - Alaska Limits for Air Contaminants

US - California Permissible Exposure Limits for Chemical Contaminants US - California Proposition 65 - Carcinogens

US - Hawaii Air Contaminant Limits

US - Idaho - Limits for Air Contaminants

US - Massachusetts - Right To Know Listed Chemicals

US - Michigan Exposure Limits for Air Contaminants

US - Minnesota Permissible Exposure Limits (PELs)

US - Oregon Permissible Exposure Limits (Z-1)

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants

US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air

Contaminants

US - Washington Permissible exposure limits of air contaminants

US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants

US ACGIH Threshold Limit Values (TLV) US ACGIH Threshold Limit Values (TLV) - Carcinogens

US NIOSH Recommended Exposure Limits (RELs)

US OSHA Permissible Exposure Levels (PELs) - Table Z1

US Priority List for the Development of Proposition 65 Safe Harbor Levels - No Significant Risk

Levels (NSRLs) for Carcinogens and Maximum Allowable Dose Levels (MADLs) for

Chemicals Causing Reproductive Toxicity US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

PROPYLENE GLYCOL(57-55-6) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Pennsylvania - Hazardous Substance List

US - Rhode Island Hazardous Substance List

US - Washington Toxic air pollutants and their ASIL. SQER and de minimis emission values US AIHA Workplace Environmental Exposure Levels (WEELs)

US ATSDR Minimal Risk Levels for Hazardous Substances (MRLs)

US Spacecraft Maximum Allowable Concentrations (SMACs) for Airborne Contaminants US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE(26172-55-4) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory

US TSCA Section 5(a)(2) - Significant New Use Rules (SNURs)

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SECTION 311/312 HAZARD CATEGORIES

Immediate (acute) health hazard	Yes
Delayed (chronic) health hazard	Yes
Fire hazard	No
Pressure hazard	No
Reactivity hazard	No

US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

None Reported

State Regulations

US. CALIFORNIA PROPOSITION 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm

US - CALIFORNIA PREPOSITION 65 - CARCINOGENS & REPRODUCTIVE TOXICITY (CRT): LISTED SUBSTANCE

Titanium dioxide (airborne, unbound particles of respirable size) Listed

National Inventory	Status
Australia - AICS	Υ

Chemwatch: 9-283295 Page 9 of 9 Issue Date: 01/18/2017 Version No: 8.13 Print Date: 02/02/2017

Nextech INT (SG) 220XX Series

Canada - DSL	Y
Canada - NDSL	N (5-chloro-2-methyl-4-isothiazolin-3-one; propylene glycol)
China - IECSC	Υ
Europe - EINEC / ELINCS / NLP	Y
Japan - ENCS	Υ
Korea - KECI	Υ
New Zealand - NZIoC	Υ
Philippines - PICCS	Y
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

CONTACT POINT

PLEASE NOTE THAT TITANIUM DIOXIDE IS NOT PRESENT IN CLEAR OR NEUTRAL BASES

Other information

Ingredients with multiple cas numbers

Name	CAS No
calcium carbonate	471-34-1, 13397-26-7, 15634-14-7, 1317-65-3, 72608-12-9, 878759-26-3, 63660-97-9, 459411-10-0, 198352-33-9, 146358-95-4
titanium dioxide	13463-67-7, 1317-70-0, 1317-80-2, 12188-41-9, 1309-63-3, 100292-32-8, 101239-53-6, 116788-85-3, 12000-59-8, 12701-76-7, 12767-65-6, 12789-63-8, 1344-29-2, 185323-71-1, 185828-91-5, 188357-76-8, 188357-79-1, 195740-11-5, 221548-98-7, 224963-00-2, 246178-32-5, 252962-41-7, 37230-92-5, 37230-94-7, 37230-95-8, 37230-96-9, 39320-58-6, 39360-64-0, 39379-02-7, 416845-43-7, 494848-07-6, 494848-23-6, 494851-77-3, 494851-98-8, 55068-84-3, 55068-85-4, 552316-51-5, 62338-64-1, 767341-00-4, 97929-50-5, 98084-96-9

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings. Risks may be determined by reference to Exposures Scenarios.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit.

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

This document is copyright.

Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH.

TEL (+61 3) 9572 4700.