

ProPaint Interior Paint Flat Pastel Base - 50891

ICP Construction

Version No: **4.4**Safety Data Sheet according to OSHA HazCom Standard (2012) requirements

Issue Date: **05/02/2018**Print Date: **05/15/2018**S.GHS.USA.EN

SECTION 1 IDENTIFICATION

Product Identifier

Product name	ProPaint Interior Paint Flat Pastel Base - 50891
Synonyms	Not Available
Other means of identification	Not Available

Recommended use of the chemical and restrictions on use

Relevant identified uses Interior Pain

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Registered company name	ICP Construction
Address	150 Dascomb Road MA 01810 United States
Telephone	978-623-9980
Fax	Not Available
Website	https://www.icp-construction.com/
Email	Not Available

Emergency phone number

3, .	
Association / Organisation	Chemtel
Emergency telephone numbers	1-800-255-3924
Other emergency telephone numbers	1-813-248-0585

SECTION 2 HAZARD(S) IDENTIFICATION

Classification of the substance or mixture

NFPA 704 diamond



Note: The hazard category numbers found in GHS classification in section 2 of this SDSs are NOT to be used to fill in the NFPA 704 diamond. Blue = Health Red = Fire Yellow = Reactivity White = Special (Oxidizer or water reactive substances)

Classification

Skin Corrosion/Irritation Category 2, Serious Eye Damage Category 1, Carcinogenicity Category 1A, Specific target organ toxicity - single exposure Category 1, Specific target organ toxicity - single exposure Category 3 (respiratory tract irritation)

Label elements

Hazard pictogram(s)







SIGNAL WORD

DANGER

Hazard statement(s)

H315	Causes skin irritation.
H318	Causes serious eye damage.
H350	May cause cancer.
H370	Causes damage to organs.
H335	May cause respiratory irritation.

Chemwatch: 9-535503 Page 2 of 9

Version No: 4.4

ProPaint Interior Paint Flat Pastel Base - 50891

Issue Date: **05/02/2018**Print Date: **05/15/2018**

Hazard(s) not otherwise specified

Not Applicable

Precautionary statement(s) General

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.

Precautionary statement(s) Prevention

P201	Obtain special instructions before use.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.

Precautionary statement(s) Response

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P307+P311	IF exposed: Call a POISON CENTER or doctor/physician.

Precautionary statement(s) Storage

P405	Store locked up.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.

Precautionary statement(s) Disposal

P501	Dispose of contents/container in accordance with local regulations.
------	---

SECTION 3 COMPOSITION / INFORMATION ON INGREDIENTS

Substances

See section below for composition of Mixtures

Mixtures

CAS No	%[weight]	Name
471-34-1	10-15	calcium carbonate
1317-65-3	9.5	limestone
13463-67-7	5-10	titanium dioxide
1332-58-7	<1	kaolin

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

SECTION 4 FIRST-AID MEASURES

Description of first aid measures

Eye Contact	► Generally not applicable.	
Skin Contact	If skin contact occurs: Immediately remove all contaminated clothing, including footwear. Flush skin and hair with running water (and soap if available). Seek medical attention in event of irritation. Generally not applicable.	
Inhalation	 If fumes or combustion products are inhaled remove from contaminated area. Lay patient down. Keep warm and rested. Prostheses such as false teeth, which may block airway, should be removed, where possible, prior to initiating first aid procedures. Apply artificial respiration if not breathing, preferably with a demand valve resuscitator, bag-valve mask device, or pocket mask as trained. Perform CPR if necessary. Transport to hospital, or doctor, without delay. Generally not applicable. 	
Ingestion	► Generally not applicable.	

Most important symptoms and effects, both acute and delayed

See Section 11

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing media

- ▶ There is no restriction on the type of extinguisher which may be used.
- Use extinguishing media suitable for surrounding area.

Special hazards arising from the substrate or mixture

Chemwatch: 9-535503 Page 3 of 9 Issue Date: 05/02/2018 Version No: 4.4 Print Date: 05/15/2018

ProPaint Interior Paint Flat Pastel Base - 50891

Fire Incompatibility	None known.		
Special protective equipment	and precautions for fire-fighters		
Fire Fighting	Fire Brigade and tell them location and nature of hazard. r breathing apparatus plus protective gloves in the event of a fire. rard when exposed to heat, flame and oxidisers.		
Fire/Explosion Hazard	May emit poisonous furnes. May emit corrosive furnes. Articles and manufactured articles may constitute a fire hazard where polymers form their outer layers or where combustible packaging remains in place. Certain substances, found throughout their construction, may degrade or become volatile when heated to high temperatures.		

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

See section 8

Environmental precautions

See section 12

Methods and material for containment and cleaning up

mothed and material for con-	
Minor Spills	 Clean up all spills immediately. Secure load if safe to do so.
Major Spills	Minor hazard. ► Clear area of personnel. ► Clean up all spills immediately. ► Wear protective clothing, safety glasses, dust mask, gloves.

Personal Protective Equipment advice is contained in Section 8 of the SDS.

SECTION 7 HANDLING AND STORAGE

Precautions for safe handling

Safe handling	 Avoid all personal contact, including inhalation. Wear protective clothing when risk of exposure occurs.
Other information	► Store away from incompatible materials.

Conditions for safe storage, including any incompatibilities

Suitable container	Generally packaging as originally supplied with the article or manufactured item is sufficient to protect against physical hazards. If repackaging is required ensure the article is intact and does not show signs of wear.
Storage incompatibility	Calcium carbonate: is incompatible with acids, ammonium salts, fluorine, germanium, lead diacetate, magnesium, mercurous chloride, silicon, silver nitrate, titanium. Contact with acid generates carbon dioxide gas, which may pressurise and then rupture closed containers Titanium dioxide reacts with strong acids, strong oxidisers reacts violently with aluminium, calcium, hydrazine, lithium (at around 200 deg C.), magnesium, potassium, sodium, zinc, especially at elevated temperatures - these reactions involves reduction of the oxide and are accompanied by incandescence dust or powders can ignite and then explode in a carbon dioxide atmosphere Acetic acid: vapours forms explosive mixtures with air (above 39 C.) reacts violently with bases such as carbonates and hydroxides (giving off large quantities of heat), oxidisers, organic amines, acetaldehyde, potassium tert-butoxide reacts (sometimes violently), with strong acids, aliphatic amines, alkanolamines, alkylene oxides, epichlorohydrin, acetic anhydride, 2-aminoethanol, ammonia, ammonium nitrate, bromine pentafluoride, chlorosulfonic acid, chromium trioxide, ethylenediamine, ethylenemine, hydrogen peroxide, isocyanates, oleum, perchloric acid, permanganates, phosphorus isocyanate, phosphorus trichloride, sodium peroxide, xylene attacks cast iron, stainless steel and other metals, forming flammable hydrogen gas attacks many forms of rubber, plastics and coatings None known

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control parameters

OCCUPATIONAL EXPOSURE LIMITS (OEL)

INGREDIENT DATA

Source	Ingredient	Material name	TWA	STEL	Peak	Notes
US NIOSH Recommended Exposure Limits (RELs)	calcium carbonate	Calcium carbonate, Natural calcium carbonate [Note: Calcite & aragonite are commercially important natural calcium carbonates.]	10 (total), 5 (resp) mg/m3	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	calcium carbonate	Calcium carbonate, Natural calcium carbonate [Note: Marble is a metamorphic form of calcium carbonate.]	10 (total), 5 (resp) mg/m3	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	calcium carbonate	Calcium salt of carbonic acid [Note: Occurs in nature as as limestone, chalk, marble, dolomite, aragonite, calcite and oyster shells.]	10 (total), 5 (resp) mg/m3	Not Available	Not Available	Not Available

Chemwatch: **9-535503** Page **4** of **9**

Version No: **4.4**

ProPaint Interior Paint Flat Pastel Base - 50891

Issue Date: **05/02/2018** Print Date: **05/15/2018**

US OSHA Permissible Exposure Levels (PELs) - Table Z1	calcium carbonate	Respirable fraction	5 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	calcium carbonate	Calcium carbonate: Total dust	15 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	calcium carbonate	Limestone: Total dust	15 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	calcium carbonate	Marble: Respirable fraction	5 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	calcium carbonate	Limestone: Respirable fraction	5 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	calcium carbonate	Marble: Total dust	15 mg/m3	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	limestone	Calcium salt of carbonic acid [Note: Occurs in nature as as limestone, chalk, marble, dolomite, aragonite, calcite and oyster shells.]	10 (total), 5 (resp) mg/m3	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	limestone	Calcium carbonate, Natural calcium carbonate [Note: Calcite & aragonite are commercially important natural calcium carbonates.]	10 (total), 5 (resp) mg/m3	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	limestone	Calcium carbonate, Natural calcium carbonate [Note: Marble is a metamorphic form of calcium carbonate.]	10 (total), 5 (resp) mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	limestone	Respirable fraction	5 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	limestone	Calcium carbonate: Total dust	15 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	limestone	Limestone: Respirable fraction	5 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	limestone	Marble: Respirable fraction	5 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	limestone	Marble: Total dust	15 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	limestone	Limestone: Total dust	15 mg/m3	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	titanium dioxide	Rutile, Titanium oxide, Titanium peroxide	Not Available	Not Available	Not Available	Ca See Appendix A
US ACGIH Threshold Limit Values (TLV)	titanium dioxide	Titanium dioxide	10 mg/m3	Not Available	Not Available	TLV® Basis: LRT irr
US OSHA Permissible Exposure Levels (PELs) - Table Z1	titanium dioxide	Titanium dioxide: Total dust	15 mg/m3	Not Available	Not Available	Not Available
US NIOSH Recommended Exposure Limits (RELs)	kaolin	China clay, Clay, Hydrated aluminum silicate, Hydrite, Porcelain clay [Note: Main constituent of Kaolin is Kaolinite (Al2Si2O5(OH)4).]	10 (total), 5 (resp) mg/m3	Not Available	Not Available	Not Available
US ACGIH Threshold Limit Values (TLV)	kaolin	Kaolin	2 mg/m3	Not Available	Not Available	TLV® Basis: Pneumoconiosis
US OSHA Permissible Exposure Levels (PELs) - Table Z1	kaolin	Kaolin: Total dust	15 mg/m3	Not Available	Not Available	Not Available
US OSHA Permissible Exposure Levels (PELs) - Table Z1	kaolin	Kaolin: Respirable fraction	5 mg/m3	Not Available	Not Available	Not Available

EMERGENCY LIMITS

Ingredient	Material name	TEEL-1	TEEL-2	TEEL-3
calcium carbonate	Limestone; (Calcium carbonate; Dolomite)	45 mg/m3	500 mg/m3	3,000 mg/m3
calcium carbonate	Carbonic acid, calcium salt	45 mg/m3	210 mg/m3	1,300 mg/m3
limestone	Limestone; (Calcium carbonate; Dolomite)	45 mg/m3	500 mg/m3	3,000 mg/m3
limestone	Carbonic acid, calcium salt	45 mg/m3	210 mg/m3	1,300 mg/m3
titanium dioxide	Titanium oxide; (Titanium dioxide)	30 mg/m3	330 mg/m3	2,000 mg/m3

Ingredient	Original IDLH	Revised IDLH
calcium carbonate	Not Available	Not Available
limestone	Not Available	Not Available
titanium dioxide	5000 mg/m3	Not Available
kaolin	Not Available	Not Available

Exposure controls


Appropriate engineering controls

Articles or manufactured items, in their original condition, generally don't require engineering controls during handling or in normal use.

Exceptions may arise following extensive use and subsequent wear, during recycling or disposal operations where substances, found in the article, may be released to the environment.

Engineering controls are used to remove a hazard or place a barrier between the worker and the hazard. Well-designed engineering controls can be highly effective in protecting workers and will typically be independent of worker interactions to provide this high level of protection.

Version No: 4.4 ProPaint Interior Paint Flat Pastel Base - 50891



Respiratory protection

Respiratory protection not normally required due to the physical form of the product.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	Not Available		
Physical state	article	Relative density (Water = 1)	Not Available
Odour	Not Available	Partition coefficient n-octanol / water	Not Available
Odour threshold	Not Available	Auto-ignition temperature (°C)	Not Available
pH (as supplied)	Not Available	Decomposition temperature	Not Available
Melting point / freezing point (°C)	Not Available	Viscosity (cSt)	Not Available
Initial boiling point and boiling range (°C)	Not Available	Molecular weight (g/mol)	Not Available
Flash point (°C)	Not Available	Taste	Not Available
Evaporation rate	Not Available	Explosive properties	Not Available
Flammability	Not Available	Oxidising properties	Not Available
Upper Explosive Limit (%)	Not Available	Surface Tension (dyn/cm or mN/m)	Not Available
Lower Explosive Limit (%)	Not Available	Volatile Component (%vol)	Not Available
Vapour pressure (kPa)	Not Available	Gas group	Not Available
Solubility in water (g/L)	Immiscible	pH as a solution (1%)	Not Available
Vapour density (Air = 1)	Not Available	VOC g/L	Not Available

SECTION 10 STABILITY AND REACTIVITY

Reactivity	See section 7
Chemical stability	Product is considered stable and hazardous polymerisation will not occur.
Possibility of hazardous reactions	See section 7
Conditions to avoid	See section 7
Incompatible materials	See section 7
Hazardous decomposition products	See section 5

SECTION 11 TOXICOLOGICAL INFORMATION

Information on toxicological effects

Inhaled	There is strong evidence to suggest that this material can cause, if inhaled once, very serious, irreversible damage of organs. The material can cause respiratory irritation in some persons. The body's response to such irritation can cause further lung damage.
Ingestion	The material has NOT been classified by EC Directives or other classification systems as "harmful by ingestion". This is because of the lack of corroborating animal or human evidence.
Skin Contact	This material can cause inflammation of the skin on contact in some persons. The material may accentuate any pre-existing dermatitis condition Skin contact is not thought to have harmful health effects (as classified under EC Directives); the material may still produce health damage following entry through wounds, lesions or abrasions. Open cuts, abraded or irritated skin should not be exposed to this material Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects. Examine the skin prior to the use of the material and ensure that any external damage is suitably protected.
Eye	If applied to the eyes, this material causes severe eye damage.

Issue Date: 05/02/2018

Print Date: 05/15/2018

Chemwatch: 9-535503 Page 6 of 9

Version No: 4.4

Issue Date: 05/02/2018 Print Date: 05/15/2018

Chronic

Studies show that inhaling this substance for over a long period (e.g. in an occupational setting) may increase the risk of cancer.

Long-term exposure to respiratory irritants may result in airways disease, involving difficulty breathing and related whole-body problems.

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

There has been concern that this material can cause cancer or mutations, but there is not enough data to make an assessment.

ProPaint Interior Paint Flat Pastel Base - 50891

	There has been concern that this material can cause cancer or mutations, but there is not enough data to make an assessment.					
ProPaint Interior Paint Flat	TOXICITY	IRRITATION				
Pastel Base - 50891	Not Available	Not Available				
	TOXICITY	IRRITATION				
calcium carbonate	dermal (rat) LD50: >2000 mg/kg ^[1]	Eye (rabbit): 0.75	mg/24h - SEVERE			
	Oral (rat) LD50: >2000 mg/kg ^[1]	Skin (rabbit): 500 mg/24h-moderate				
limestone	TOXICITY	IRRITATION				
	Oral (rat) LD50: 6450 mg/kg ^[2]	Skin (rabbit): 500	mg/24h-moderate			
	TOXICITY	IRRITATION				
titanium dioxide	Inhalation (rat) LC50: >2.28 mg/l4 h ^[1]	Skin (human): 0.3	3 mg /3D (int)-mild *			
	Oral (rat) LD50: >2000 mg/kg ^[1]					
	TOXICITY	IRRITATION				
kaolin	Not Available	Not Available	Not Available			
Legend:	Nalue obtained from Europe ECHA Registered Subst data extracted from RTECS - Register of Toxic Effect of	*	from manufacturer's SDS. Unless otherwise specifie			
	The material may produce moderate eye irritation leadin The material may cause skin irritation after prolonged or scaling and thickening of the skin.					
TITANIUM DIOXIDE	Exposure to titanium dioxide is via inhalation, swallowing of the lungs and immune system. WARNING: This substance has been classified by the * IUCLID		posit in lung tissue and lymph nodes causing dysfunc			
TITANIUM DIOXIDE	Exposure to titanium dioxide is via inhalation, swallowing of the lungs and immune system. WARNING: This substance has been classified by the		posit in lung tissue and lymph nodes causing dysfunc			
	Exposure to titanium dioxide is via inhalation, swallowing of the lungs and immune system. WARNING: This substance has been classified by the * IUCLID	IARC as Group 2B: Possibly Carcinogen	posit in lung tissue and lymph nodes causing dysfunctic to Humans.			
Acute Toxicity	Exposure to titanium dioxide is via inhalation, swallowing of the lungs and immune system. WARNING: This substance has been classified by the * IUCLID	IARC as Group 2B: Possibly Carcinogen Carcinogenicity	posit in lung tissue and lymph nodes causing dysfunc ic to Humans.			
Acute Toxicity Skin Irritation/Corrosion	Exposure to titanium dioxide is via inhalation, swallowing of the lungs and immune system. WARNING: This substance has been classified by the * IUCLID	IARC as Group 2B: Possibly Carcinogen Carcinogenicity Reproductivity	posit in lung tissue and lymph nodes causing dysfunctic to Humans.			

Legend:

X − Data available but does not fill the criteria for classification
 ✓ − Data available to make classification

O - Data Not Available to make classification

SECTION 12 ECOLOGICAL INFORMATION

Toxicity

ProPaint Interior Paint Flat Pastel Base - 50891	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	Not Available	Not Available	Not Available	Not Available	Not Available
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	>56000mg/L	4
calcium carbonate	EC50	72	Algae or other aquatic plants	>14mg/L	2
	NOEC	72	Algae or other aquatic plants	14mg/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	>56000mg/L	4
limestone	EC50	72	Algae or other aquatic plants	>14mg/L	2
	NOEC	72	Algae or other aquatic plants	14mg/L	2
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE	SOURCE
	LC50	96	Fish	155mg/L	2
titanium dioxide	EC50	48	Crustacea	>10mg/L	2
	EC50	72	Algae or other aquatic plants	5.83mg/L	4
	EC20	72	Algae or other aquatic plants	1.81mg/L	4

Chemwatch: **9-535503** Page **7** of **9**

Version No: 4.4

ProPaint Interior Paint Flat Pastel Base - 50891

Issue Date: **05/02/2018**Print Date: **05/15/2018**

	NOEC	336	Fish	0.089mg/L 4
	ENDPOINT	TEST DURATION (HR)	SPECIES	VALUE SOURCE
kaolin	Not Available	Not Available	Not Available	Not Not Available Available
Legend:	(QSAR) - Aquat	. IUCLID Toxicity Data 2. Europe ECHA Registered ic Toxicity Data (Estimated) 4. US EPA, Ecotox data acentration Data 7. METI (Japan) - Bioconcentration	abase - Aquatic Toxicity Data 5. ECETOC Aquati	-

Bentonite and kaolin have low toxicity to aquatic species, a large number of which have been tested DO NOT discharge into sewer or waterways.

Persistence and degradability

Ingredient	Persistence: Water/Soil	Persistence: Air
titanium dioxide	HIGH	HIGH

Bioaccumulative potential

Ingredient	Bioaccumulation
titanium dioxide	LOW (BCF = 10)

Mobility in soil

Ingredient	Mobility
titanium dioxide	LOW (KOC = 23.74)

SECTION 13 DISPOSAL CONSIDERATIONS

Waste treatment methods

Product / Packaging disposal

Recycle wherever possible or consult manufacturer for recycling options.

Consult State Land Waste Management Authority for disposal.

DO NOT allow wash water from cleaning or process equipment to enter drains.
 It may be necessary to collect all wash water for treatment before disposal.

SECTION 14 TRANSPORT INFORMATION

Labels Required

Marine Pollutant NO

Land transport (DOT): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Air transport (ICAO-IATA / DGR): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Sea transport (IMDG-Code / GGVSee): NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS

Transport in bulk according to Annex II of MARPOL and the IBC code

Not Applicable

SECTION 15 REGULATORY INFORMATION

Safety, health and environmental regulations / legislation specific for the substance or mixture

CALCIUM CARBONATE(471-34-1) IS FOUND ON THE FOLLOWING REGULATORY LISTS

US - Alaska Limits for Air Contaminants	US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants
US - Hawaii Air Contaminant Limits	US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
US - Idaho - Limits for Air Contaminants	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air
US - Massachusetts - Right To Know Listed Chemicals	Contaminants
US - Michigan Exposure Limits for Air Contaminants	US - Washington Permissible exposure limits of air contaminants
US - Minnesota Permissible Exposure Limits (PELs)	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US - Oregon Permissible Exposure Limits (Z-1)	US NIOSH Recommended Exposure Limits (RELs)
US - Pennsylvania - Hazardous Substance List	US OSHA Permissible Exposure Levels (PELs) - Table Z1
US - Rhode Island Hazardous Substance List	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
	LIS TSCA Chemical Substance Inventory - Interim List of Active Substances

LIMESTONE(1317-65-3) IS FOUND ON THE FOLLOWING REGULATORY LISTS

Chemwatch: 9-535503 Page 8 of 9 Issue Date: 05/02/2018 Version No: 4.4 Print Date: 05/15/2018

ProPaint Interior Paint Flat Pastel Base - 50891

US - Alaska Limits for Air Contaminants US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants US - Hawaii Air Contaminant Limits US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants $\label{thm:continuous} {\it US-Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air}$ US - Idaho - Limits for Air Contaminants US - Massachusetts - Right To Know Listed Chemicals Contaminants US - Washington Permissible exposure limits of air contaminants US - Michigan Exposure Limits for Air Contaminants US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants US - Minnesota Permissible Exposure Limits (PELs) US NIOSH Recommended Exposure Limits (RELs) US - Oregon Permissible Exposure Limits (Z-1) US OSHA Permissible Exposure Levels (PELs) - Table Z1 US - Pennsylvania - Hazardous Substance List US - Rhode Island Hazardous Substance List US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory US TSCA Chemical Substance Inventory - Interim List of Active Substances

TITANIUM DIOXIDE(13463-67-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

International Agency for Research on Cancer (IARC) - Agents Classified by the IARC	US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants
Monographs	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air
US - Alaska Limits for Air Contaminants	Contaminants
US - California Proposition 65 - Carcinogens	US - Washington Permissible exposure limits of air contaminants
US - Hawaii Air Contaminant Limits	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US - Idaho - Limits for Air Contaminants	US ACGIH Threshold Limit Values (TLV)
US - Massachusetts - Right To Know Listed Chemicals	US ACGIH Threshold Limit Values (TLV) - Carcinogens
US - Michigan Exposure Limits for Air Contaminants	US List of Active Substances Exempt from the TSCA Inventory Notifications (Active-Inactive)
US - Minnesota Permissible Exposure Limits (PELs)	Rule
US - Oregon Permissible Exposure Limits (Z-1)	US NIOSH Recommended Exposure Limits (RELs)
US - Pennsylvania - Hazardous Substance List	US OSHA Permissible Exposure Levels (PELs) - Table Z1
US - Rhode Island Hazardous Substance List	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants	US TSCA Chemical Substance Inventory - Interim List of Active Substances
, ,	US TSCA Section 12(b) - List of Chemical Substances Subject to Export Notification
	Requirements

KAOLIN(1332-58-7) IS FOUND ON THE FOLLOWING REGULATORY LISTS

RACLIN(1352-36-7) 13 FOUND ON THE FOLLOWING REGULATORY LISTS	
US - Alaska Limits for Air Contaminants	US - Vermont Permissible Exposure Limits Table Z-1-A Transitional Limits for Air
US - California Permissible Exposure Limits for Chemical Contaminants	Contaminants
US - Hawaii Air Contaminant Limits	US - Washington Permissible exposure limits of air contaminants
US - Idaho - Limits for Air Contaminants	US - Wyoming Toxic and Hazardous Substances Table Z1 Limits for Air Contaminants
US - Minnesota Permissible Exposure Limits (PELs)	US ACGIH Threshold Limit Values (TLV)
US - Oregon Permissible Exposure Limits (Z-1)	US ACGIH Threshold Limit Values (TLV) - Carcinogens
US - Pennsylvania - Hazardous Substance List	US NIOSH Recommended Exposure Limits (RELs)
US - Rhode Island Hazardous Substance List	US OSHA Permissible Exposure Levels (PELs) - Table Z1
US - Tennessee Occupational Exposure Limits - Limits For Air Contaminants	US Toxic Substances Control Act (TSCA) - Chemical Substance Inventory
US - Vermont Permissible Exposure Limits Table Z-1-A Final Rule Limits for Air Contaminants	US TSCA Chemical Substance Inventory - Interim List of Active Substances

Federal Regulations

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SECTION 311/312 HAZARD CATEGORIES

Flammable (Gases, Aerosols, Liquids, or Solids) No Gas under pressure No Explosive No Self-heating No Pyrophoric (Liquid or Solid) No Pyrophoric Gas No Corrosive to metal No Oxidizer (Liquid, Solid or Gas) No Self-reactive No In contact with water emits flammable gas No Corrosive to busible Dust No Carcinogenicity Yes Acute toxicity (any route of exposure) No Reproductive toxicity No Skin Corrosion or Irritation Yes Respiratory or Skin Sensitization No Serious eye damage or eye irritation Yes Specific target organ toxicity (single or repeated exposure) Yes Specific target organ toxicity (single or repeated exposure) No Germ cell mutacenicity No	SECTION 311/312 HAZARD CATEGORIES	
Explosive No Self-heating No Pyrophoric (Liquid or Solid) No Pyrophoric Gas No Corrosive to metal No Oxidizer (Liquid, Solid or Gas) No Organic Peroxide No Self-reactive No In contact with water emits flammable gas No Combustible Dust No Carcinogenicity Yes Acute toxicity (any route of exposure) No Reproductive toxicity No Skin Corrosion or Irritation Yes Respiratory or Skin Sensitization No Serious eye damage or eye irritation Yes Specific target organ toxicity (single or repeated exposure) Yes Aspiration Hazard No	Flammable (Gases, Aerosols, Liquids, or Solids)	No
Self-heating No Pyrophoric (Liquid or Solid) No Pyrophoric Gas No Corrosive to metal No Oxidizer (Liquid, Solid or Gas) No Organic Peroxide No Self-reactive No In contact with water emits flammable gas No Combustible Dust No Carcinogenicity Yes Acute toxicity (any route of exposure) No Reproductive toxicity No Skin Corrosion or Irritation Yes Respiratory or Skin Sensitization No Serious eye damage or eye irritation Yes Specific target organ toxicity (single or repeated exposure) Yes Aspiration Hazard No	Gas under pressure	No
Pyrophoric (Liquid or Solid) Pyrophoric Gas No Corrosive to metal No Oxidizer (Liquid, Solid or Gas) No Organic Peroxide No Self-reactive No In contact with water emits flammable gas No Combustible Dust No Carcinogenicity Acute toxicity (any route of exposure) No Reproductive toxicity No Skin Corrosion or Irritation Respiratory or Skin Sensitization No Serious eye damage or eye irritation Yes Specific target organ toxicity (single or repeated exposure) Aspiration Hazard No No	Explosive	No
Pyrophoric Gas No Corrosive to metal No Oxidizer (Liquid, Solid or Gas) No Organic Peroxide No Self-reactive No In contact with water emits flammable gas No Combustible Dust No Carcinogenicity No Acute toxicity (any route of exposure) No Reproductive toxicity Skin Corrosion or Irritation Yes Respiratory or Skin Sensitization No Serious eye damage or eye irritation Yes Spiration Hazard No	Self-heating	No
Corrosive to metal No Oxidizer (Liquid, Solid or Gas) No Organic Peroxide No Self-reactive No In contact with water emits flammable gas No Combustible Dust No Carcinogenicity Yes Acute toxicity (any route of exposure) No Reproductive toxicity Respiratory or Skin Sensitization Yes Respiratory or Skin Sensitization Yes Specific target organ toxicity (single or repeated exposure) Aspiration Hazard No	Pyrophoric (Liquid or Solid)	No
Oxidizer (Liquid, Solid or Gas) Organic Peroxide No Self-reactive No In contact with water emits flammable gas No Combustible Dust Carcinogenicity Acute toxicity (any route of exposure) Reproductive toxicity Skin Corrosion or Irritation Respiratory or Skin Sensitization Serious eye damage or eye irritation Aspiration Hazard No	Pyrophoric Gas	No
Organic Peroxide Self-reactive No In contact with water emits flammable gas No Combustible Dust Carcinogenicity Acute toxicity (any route of exposure) Reproductive toxicity Skin Corrosion or Irritation Respiratory or Skin Sensitization Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure) Aspiration Hazard No	Corrosive to metal	No
Self-reactive No In contact with water emits flammable gas No Combustible Dust No Carcinogenicity Yes Acute toxicity (any route of exposure) No Reproductive toxicity Skin Corrosion or Irritation Yes Respiratory or Skin Sensitization No Serious eye damage or eye irritation Yes Specific target organ toxicity (single or repeated exposure) Aspiration Hazard No	Oxidizer (Liquid, Solid or Gas)	No
In contact with water emits flammable gas Combustible Dust No Carcinogenicity Acute toxicity (any route of exposure) Reproductive toxicity Skin Corrosion or Irritation Respiratory or Skin Sensitization Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure) Aspiratory Hazard No No No No No No No No No N	Organic Peroxide	No
Combustible Dust Carcinogenicity Yes Acute toxicity (any route of exposure) No Reproductive toxicity No Skin Corrosion or Irritation Respiratory or Skin Sensitization Serious eye damage or eye irritation Yes Specific target organ toxicity (single or repeated exposure) Aspiration Hazard No	Self-reactive	No
Carcinogenicity Acute toxicity (any route of exposure) Reproductive toxicity No Skin Corrosion or Irritation Respiratory or Skin Sensitization Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure) Aspiration Hazard Yes No	In contact with water emits flammable gas	No
Acute toxicity (any route of exposure) Reproductive toxicity No Skin Corrosion or Irritation Yes Respiratory or Skin Sensitization No Serious eye damage or eye irritation Yes Specific target organ toxicity (single or repeated exposure) Aspiration Hazard No	Combustible Dust	No
Reproductive toxicity Skin Corrosion or Irritation Yes Respiratory or Skin Sensitization No Serious eye damage or eye irritation Yes Specific target organ toxicity (single or repeated exposure) Aspiration Hazard No	Carcinogenicity	Yes
Skin Corrosion or Irritation Respiratory or Skin Sensitization No Serious eye damage or eye irritation Specific target organ toxicity (single or repeated exposure) Aspiration Hazard Yes No	Acute toxicity (any route of exposure)	No
Respiratory or Skin Sensitization No Serious eye damage or eye irritation Yes Specific target organ toxicity (single or repeated exposure) Yes Aspiration Hazard No	Reproductive toxicity	No
Serious eye damage or eye irritation Yes Specific target organ toxicity (single or repeated exposure) Yes Aspiration Hazard No	Skin Corrosion or Irritation	Yes
Specific target organ toxicity (single or repeated exposure) Aspiration Hazard Yes No	Respiratory or Skin Sensitization	No
Aspiration Hazard No	Serious eye damage or eye irritation	Yes
'	Specific target organ toxicity (single or repeated exposure)	Yes
Germ cell mutagenicity No	Aspiration Hazard	No
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Germ cell mutagenicity	No
Simple Asphyxiant No	Simple Asphyxiant	No

US. EPA CERCLA HAZARDOUS SUBSTANCES AND REPORTABLE QUANTITIES (40 CFR 302.4)

None Reported

Version No: 4.4

ProPaint Interior Paint Flat Pastel Base - 50891

Issue Date: **05/02/2018**Print Date: **05/15/2018**

State Regulations

US. CALIFORNIA PROPOSITION 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm

US - CALIFORNIA PROPOSITION 65 - CARCINOGENS & REPRODUCTIVE TOXICITY (CRT): LISTED SUBSTANCE

Titanium dioxide (airborne, unbound particles of respirable size) Listed

National Inventory	Status
Australia - AICS	Y
Canada - DSL	Y
Canada - NDSL	N (kaolin)
China - IECSC	Y
Europe - EINEC / ELINCS / NLP	Υ
Japan - ENCS	N (kaolin)
Korea - KECI	Υ
New Zealand - NZIoC	Υ
Philippines - PICCS	Y
USA - TSCA	Υ
Legend:	Y = All ingredients are on the inventory N = Not determined or one or more ingredients are not on the inventory and are not exempt from listing(see specific ingredients in brackets)

SECTION 16 OTHER INFORMATION

Revision Date	05/02/2018
Initial Date	05/03/2018

CONTACT POINT

Other information

Ingredients with multiple cas numbers

Name	CAS No
calcium carbonate	471-34-1, 13397-26-7, 15634-14-7, 1317-65-3, 72608-12-9, 878759-26-3, 63660-97-9, 459411-10-0, 198352-33-9, 146358-95-4
titanium dioxide	13463-67-7, 1317-70-0, 1317-80-2, 12188-41-9, 1309-63-3, 100292-32-8, 101239-53-6, 116788-85-3, 12000-59-8, 12701-76-7, 12767-65-6, 12789-63-8, 1344-29-2, 185323-71-1, 185828-91-5, 188357-76-8, 188357-79-1, 195740-11-5, 221548-98-7, 224963-00-2, 246178-32-5, 252962-41-7, 37230-92-5, 37230-94-7, 37230-95-8, 37230-96-9, 39320-58-6, 39360-64-0, 39379-02-7, 416845-43-7, 494848-07-6, 494848-23-6, 494851-77-3, 494851-98-8, 55068-84-3, 55068-85-4, 552316-51-5, 62338-64-1, 767341-00-4, 97929-50-5, 98084-96-9
kaolin	1332-58-7, 71888-52-3, 1026990-70-4, 12198-85-5, 12199-11-0, 190086-05-6, 290817-34-4, 384842-32-4, 39406-22-9, 52624-41-6, 849104-81-0, 903527-69-5, 90803-81-9, 944250-63-9, 95077-05-7

Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

The SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

Definitions and abbreviations

PC-TWA: Permissible Concentration-Time Weighted Average

PC-STEL: Permissible Concentration-Short Term Exposure Limit

IARC: International Agency for Research on Cancer

ACGIH: American Conference of Governmental Industrial Hygienists

STEL: Short Term Exposure Limit

TEEL: Temporary Emergency Exposure Limit。

IDLH: Immediately Dangerous to Life or Health Concentrations

OSF: Odour Safety Factor

NOAEL :No Observed Adverse Effect Level

LOAEL: Lowest Observed Adverse Effect Level

TLV: Threshold Limit Value

LOD: Limit Of Detection

OTV: Odour Threshold Value

BCF: BioConcentration Factors

BEI: Biological Exposure Index

Powered by AuthorITe, from Chemwatch.

^{**}PLEASE NOTE THAT TITANIUM DIOXIDE IS NOT PRESENT IN CLEAR OR NEUTRAL BASES**